CS28_CS1854P55.1 (Prior to cutting binding)

Lines run		No of Chains	Lines run		No of Chain
Corners run from	Corners run to		Corners run from	Corners run to	
March 14 1877 Surveyed in Section 7					
This survey was not extensive enough to be very satisfactory					
Wednesday Mar 21: 1877 Surveyed in Sections 20 & 21 T 8 North Range 6 West					
S.W. Cor Sec 21	N.W. Corner 4° 54' W	79.57	S.W. Corner	S ¼ S W ¼	19.9
S ¼ & S W ¼	S ¼	19.93	S ¼	S ¼ S E ¼ 5° W	19.9
S ¼ S E	S E	19,93	S E corner	E ¼ & S E ¼	20.2
E ¼ & S E ¼	E ¼	20,28	E ¼	E ¼ & N E ¼	20,2
E ¼ & N E	N E Corner	20,28	N E Corner	N ¼	39.4
N ¼ &	N ¼ & N W ¼	19.74	N ¼ & N W ¼	N W Corner	19.7

Dave Shelton } Chain Bearers
I.D. English } Sworn

Corners Established	Description of Corners	Bearing Trees	Inches in Diameter	Courses	Links Distance	Bearing Trees	Inches in Diameter	Courses
T 6	R 3							
N W		W Oak	12	N 15¼ E	31	Beech	12	S 44 W
N¼ A W¼		Mulberry		S 31½ W	32			
A¼ A E¼		Sugar	12	S 81¾ W	26			
A¼		B Oak	18	S 6¾ W	26	W Oak	16	S 56 W
N¼ N E¼		W Oak	24	N 1¼ W	7	B Oak	21	S 49 E
S. W Cor 21 placed	Stone	One Original		Standing				
S. E Cor	Stone	Original				W. Oak	6	West
N E Cor Re Est	Stone	Stone		S 16½ W	50¾	Stone		S 39¼ E
Re Est S¼ A E¼								
S¼ S E¼	Stone	B. Oak	11	N 65 E	10	Hickory	20	N 61¾ W
S¼	Stone	W. Oak	3	N 61½ E	19	B. Oak	8	N 20¼ W
S¼ S W¼	Stone	B. Oak	10	S 27½ W	36	Hickory	6	S 77 W
Re Est W¼ S E¼	Stone	B Oak	6	N 48¾ W	42½	W. Oak	5	N 37½ W
Centre S W	Stone	B Oak	12	S 27 E	76½			
E¼ A E¼	Stone	J Oak	12	S 3 E	170¾	Locust	10	S 71¾ E
E¼	Stone	W. Oak	8	S 16¼ E	35	W Oak	8	N 33½ E
E¼ S E	Stone	W. Oak	5	N 81½ E	23	W Oak	36	N 48¾ E
N¼ A W¼	Stone	W. Oak	24	S 8½ W	62¾			
N¼	Stone	J Oak	9	S 31¾ E	72	Stone		S 7¼ E
Centre N E¼	Stone	W. Oak	5	S 16½ W	21¾	W Oak	5	S 53 E
S¼ N W¼	S	Hickory	5	N 10¼ W	48			
Centre S E¼	Stone	Hickory	6	S 40¼ W	62¼	B. Oak	36	N 59 E
Section 20								
Re Est S¼ N E¼	Stone	B. Oak	12	S 43¾ E	33			
Centre S E¼		B. Oak	18	N 43½ W	28¼	Post Oak	5	S 79½ W

CS28_CS1854P55.2
(Prior to cutting binding)

CS28_CS1854P55.1

Lines run		No of Chains	Lines run		No of Chains
Corners run from	Corners run to		Corners run from	Corners run to	
March 14 1877 Surveyed in Section 7					
This survey was not extensive enough to be very satisfactory					
Wednesday Mar 21: 1877 Surveyed in Sections 20 & 21					
T 8 North Range 6 West					
S.W. Cor Sec 21	N.W. Corner 4° 54' W	79.57	S.W. Corner	S ¼ S W ¼	19.93
S ¼ & S W ¼	S ¼	19.93	S ¼	S ¼ S E ¼ 5° W	19.93
S ¼ S E	S E	19.93	S E Corner	E ¼ & S E ¼	20.28
E ¼ & S E ¼	E ¼	20.28	E ¼	E ¼ & N E ¼	20.28
E ¼ & N E	N E Corner	20.28	N E Corner	N ¼	39.48 6° W
N ¼ &	N ¼ & N W ¼	19.74	N ¼ & N W ¼	N W Corner	19.74
Dave Shelton } Chain Bearers I.D. English } Sworn					

Corners Established	Description of Corners	Bearing Trees	Inches in Diameter	Courses	Links Distance	Bearing Trees	Inches in Diameter	Courses	Links Distance
T 6	R 3								
N W		W Oak	12	N 15 1/4 E	31	Beech	12	S 44 W	21
N 1/4 N W 1/4		Mulberry		S 31 1/2 W	32				
N 1/4 N E 1/4		Sugar	12	S 81 3/4 W	26				
N 1/4		B Oak	18	N 36 3/4 W	26	W Oak	16	S 56 W	51
N 1/4 N E 1/4		W Oak	24	N 1 1/4 W	7	B Oak	21	S 49 E	16
S W cor 21 placed	Stone	One Original		Standing					
S E cor	Stone	Original				W. Oak	6	West	24
N E Cor re Est	Stone	Stone		S 16 1/2 W	50 3/4	Stone		S 39 1/4 E	57
re Est S 1/4 A E 1/4									
S 1/4 S E 1/4	Stone	B. Oak	11	N 65 E	10	Hickory	20	N 61 3/4 W	11 3/4
S 1/4	Stone	W. Oak	3	N 61 1/2 E	19	B. Oak	8	N 20 1/4 W	20 3/4
S 1/4 S W 1/4	Stone	B. Oak	10	S 27 1/2 W	36	Hickory	6	S 77 W	39
Re Est W 1/4 S E 1/4	Stone	B Oak	6	N 48 3/4 W	42 1/2	W. Oak	5	N 37 1/2 W	62
Centre S W	Stone	B Oak	12	S 27 E	76 1/2				
E 1/4 N E 1/4	Stone	J Oak	12	S 3 E	170 3/4	Locust	10	S 71 3/4 E	70
E 1/4	Stone	W. Oak	8	S 16 1/4 E	35	W Oak	8	N 35 1/2 E	87
E 1/4 S E	Stone	W. Oak	5	N 81 1/2 E	23	W Oak	36	N 48 3/4 E	50 1/2
N 1/4 N W 1/4	Stone	W. Oak	24	S 8 1/2 W	62 3/4				
N 1/4	Stone	J Oak	9	S 31 3/4 E	72	Stone		S 7 1/4 E	33
Centre N E 1/4	Stone	W. Oak	5	S 16 1/2 W	21 3/4	W Oak	5	S 53 E	44
S 1/4 N W 1/4	S	Hickory	5	N 10 1/4 W	48				
Centre S E 1/4	Stone	Hickory	6	S 40 1/4 W	62 1/4	B. Oak	36	N 59 E	42
Section 20									
Re Est S 1/4 S E 1/4	Stone	B. Oak	12	S 48 3/4 E	33				
Centre S E 1/4		B. Oak	18	N 4 1/2 W	28 1/4	Post Oak	5	S 79 1/2 W	

CS28_CS1854P55.2